

IEEE 802.3 Ethernet Working Group
EC REVIEW DRAFT Liaison Communication

Source: IEEE 802.3 Working Group¹

To: Steve Trowbridge Chair, ITU-T SG15
steve.trowbridge@nokia.com

Jean-Marie Fromenteau Rapporteur, ITU-T Q1/15
fromentejm@corning.com

Dekun Liu Associate Rapporteur, Q1/15
liudekun@huawei.com

Hiroshi Ota Advisor, ITU-T SG15
tsbsg15@itu.int

CC: Konstantinos Karachalios Secretary, IEEE-SA Standards Board
Secretary, IEEE-SA Board of Governors
sasecretary@ieee.org

Paul Nikolich Chair, IEEE 802 LMSC
p.nikolich@ieee.org

Jon Lewis Secretary, IEEE 802.3 Ethernet Working Group
jon.lewis@dell.com

Adam Healey Vice-chair, IEEE 802.3 Ethernet Working Group
adam.healey@broadcom.com

From: David Law Chair, IEEE 802.3 Ethernet Working Group
dlaw@hpe.com

Subject: IEEE 802.3 response to Liaison on HNT standardization work plan

Approval: Agreed to at IEEE 802.3 interim meeting Geneva, Switzerland, 23rd January 2020

Dear Mr Trowbridge and members of ITU-T Study Group 15,

Thank you for your liaison statement from July 2019 concerning the HNT Standardization Work Plan.

The following provides an update on the current status of HNT related documents and work within the IEEE 802.3 working group (HNT Standards Overview and Work Plan, Section 6/IEEE/IEEE802.3):

IEEE Std 802.3-2018, *Standard for Ethernet* is the current revision. This revision has five approved amendments, IEEE Std 802.3cb-2018, IEEE Std 802.3bt-2018, IEEE Std 802.3cd-2018, IEEE Std 802.3cn-2019, and IEEE Std 802.3cg-2019 (**in publication preparation**).

The following are example HNT applicable technologies in IEEE Std 802.3-2018 (including its amendments):

¹ This document solely represents the views of the IEEE 802.3 Working Group, and does not necessarily represent a position of the IEEE, the IEEE Standards Association, or IEEE 802.

- The 10BASE-T, 100BASE-TX and 1000BASE-T specifications for operation over various grades of twisted pair cabling have long been used as a home networking technology, and they continue to be applicable.
- Home gateways typically include both IEEE Std 802.11 specified capabilities and either 10/100 Mb/s or 10/100/1000 Mb/s Ethernet ports.
- 2.5GBASE-T, 5GBASE-T and 10GBASE-T provide a migration path for higher bandwidth home networks.
- 1000BASE-RHA is a plastic optical fiber port type targeted for home networks.
- Fiber optic Ethernet port types would be applicable to HNT especially in cases where a non-conductive medium is required. It is appropriate to note that BASE-T port types are not specified for outdoor cable installations.
- For access to the home, the approved standard includes various speeds of operation for Ethernet Passive Optical Networks.
- The standard also includes DTE Power via the MDI (also called Power over Ethernet) capabilities applicable to HNT (e.g., to provide power to security equipment). These specifications include multiple options for BASE-T cabling with options for amount of power provided to the Powered Device.

Other optional Ethernet capabilities have relevance to HNT including:

- Time Sensitive Networking related functions appropriate to support applications running over HNT, and Energy-Efficient Ethernet specifications for many port types to reduce energy consumption.
- IEEE Std 802.3.1-2013 specifies SNMP management modules for various Ethernet port types and capabilities. IEEE Std 802.3.2-2018 YANG Data Model(s) specifies YANG data models for selected Ethernet port types-

Much of the current work within the IEEE 802.3 Working Group (current activities are listed on the 802.3 home page <http://ieee802.org/3>) may not be applicable to HNT, but a few recent and current activities are highlighted below as possibly related.

- The approved IEEE Std 802.3bt-2018 Power via MDI over 4-Pair defines a method for provision of more electrical current than supported in earlier Power over Ethernet specifications.
- Three maintenance projects (IEEE P802.3cq Power over Ethernet over 2 Pairs (Maintenance #13), IEEE P802.3cr Isolation (Maintenance #14), and P802.3cv (Maintenance #15) are updating IEEE Std 802.3 to implement editorial and technical corrections, refinements, and clarifications for Power over Ethernet.
- The approved amendment IEEE P802.3cg/D3.4 10 Mb/s Single Pair Ethernet though primarily targeted at Industrial applications, may find uses in home networking.
- IEEE P802.3ca 25 Gb/s and 50 Gb/s Ethernet Passive Optical Networks, IEEE P802.3cp Bidirectional 10 Gb/s, 25 Gb/s, and 50 Gb/s Optical Access PHYs Task Force, and IEEE P802.3cs Increased-reach Ethernet optical subscriber access (Super-PON) will provide enhancements for home access networks.
- The Improving PTP Timestamping Accuracy Study Group has proposed a new project IEEE P802.3cx which is in the approval process. The higher precision time stamping may find HNT applications.
- The 10SPE Multidrop Enhancements Study Group is targeting industrial, building and other markets, but may potentially find applications in smart homes

The contact information for the chair of IEEE 802.3 in Section 7 is current.

We wish to thank the leadership and members of ITU-T SG15 for the opportunity to coordinate references to our work programs and we look forward to such continuing cooperation with ITU-T SG15 in the future.

Sincerely,

David J. Law
Chair, IEEE 802.3 Ethernet Working Group

REC
REVIEW
DRAFT