
IEEE P802.15
Wireless Personal Area Networks

Project	IEEE P802.15 Working Group for Wireless Personal Area Networks (WPANs)		
Title	Memo of Tele-Conference Call for TG3c, 2008 Apr 9th		
Date Submitted	[9th April, 2008]		
Source	[Chin-Sean Sum] [NICT] [Yokosuka,Japan]	Voice: [] Fax: [] E-mail: sum@nict.go.jp	
Re:			
Abstract	Minutes of the Apr 9 th teleconference		
Purpose	Minutes of the Apr 9 th teleconference		
Notice	This document has been prepared to assist the IEEE P802.15. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.		
Release	The contributor acknowledges and accepts that this contribution becomes the property of IEEE and may be made publicly available by P802.15.		

Memo of Tele-Conference Call for TG3c, 2008 Apr 9

Date: Apr 9th, 2008, 2.00pm in JST

Attendees:

Jisung Oh, Huai-Rong Shao (Samsung), Raymond Yu Zhan (Panasonic), Hiroyuki Yamagishi (Sony), Zhiguo Lai (NewLANS), Bruce Bosco (Motorola), Hideto Ikeda (OKI), Ichiro Ida (Fujitsu), Chang-Soon Choi (IHP), Noam Livneh, Vered Bar (Qualcomm), Paul Strauch (Wionics), Shuzo Kato, Hiroshi Harada, Akio Iso, Fumihide Kojima, Ryuhei Funada, Zhou Lan, Chang-woo Pyo, Junyi Wang, Mohammad Azizur Rahman, Chin-Sean Sum (NICT)

Next Meeting:

April 16, 2008, 1500 in PDT, April 17, 0700 in JST.
1.5 hours duration

What discussed:

- 1 Discussion on terminology 'RSSI'
 - 1.1 N.Livneh pointed out that the term 'RSSI' (receive signal strength indication) (defined in document 08/225r1 as the content of channel state information) should be changed to 'ROS' (rise over sensitivity)
 - 1.2 ROUS (rise over usable sensitivity) was also suggested
 - 1.3 The terminology 'RSSIr' (relative RSSI) was chosen to replace 'RSSI', with additional elaboration to be added in the baseline document
- 2 Presentation by Z.Lai doc. 219r1
 - 2.1 The spectrum diagram of Dual alternate mark inversion (DAMI) was presented
 - 2.2 S.Kato pointed out that ACI generated by the DAMI spectrum should be further investigated